95 Percent of Corpses Had Received COVID Vaccination Within 2 Weeks of Death: Funeral Director

COVID VACCINE INJURIES





A COVID-19 vaccine is prepared in a file image. (Stephen Zenner/Getty Images)

A funeral director from New Zealand says that 95 percent of the corpses he has been seeing had received a COVID-19 vaccine within two weeks of their passing away.

"Ninety-five percent of the people who have passed away through the work that I've done have been vaccinated within two weeks," Brenton Faithfull said.

Faithfull has been working as a funeral director for the last 41 years and has been running his own mortuary business for the last 26 years. He recently spoke out about the apparent relationship between the COVID-19 vaccines and the deaths he has been observing.

"It's very obvious, they die within two weeks of receiving the vaccination, a lot of them ... almost appear to have died from anaphylaxis, almost a reaction straight away to the booster."

Anaphylaxis is an acute reaction of the body to an antigen, such as that of a bee sting, or an injection.

"They die the same day, the following day after receiving the COVID-19 vaccination. This isn't a oneoff case, this is the majority of cases that have come through our facility," Faithfull said in an interview.

UK Funeral Director

Similar data has been discussed by funeral director John O'Looney in the UK and Richard Hirschman from Alabama, previously reported by The Epoch Times.

"From the very moment these injections went into arms, the death rate soared beyond belief. They labeled them all as COVID deaths, but the reality is they were almost exclusively the people who were vaccinated," O'Looney told The Epoch Times.

"We now see record numbers of deaths in the vaccinated and in record numbers of young people. They die from a mixture of sudden very aggressive cancers or blood clots, which cause heart attack and stroke," he added.

Doctors Comment

Dr. Sherri Tenpenny, who has been informing the public on the dangers of vaccines for over two decades, weighed in on Faithfull's testimony:

"On Dec. 2, 2020, UK regulators granted emergency-use authorization (EUA) to Pfizer's COVID-19 shot. Within a week, MHRA [Medicines and Healthcare products Regulatory Agency] Chief Executive Officer June Raine said in a statement that 'Any person with a history of anaphylaxis to a vaccine, medicine or food should not receive the Pfizer BioNTech vaccine.' She went on to say that 'allergic reactions had not been a feature of Pfizer's clinical trials," Dr. Tenpenny told The Epoch Times.

However, Tenpenny further noted that anaphylaxis was the "first identified risk."

"Pfizer was forced to release their findings by a Texas federal judge in January 2022. Within that first tranche of documents, you will find Table 3–Safety Concerns–on page 10 of this document [pdf]. The first identified risk is anaphylaxis. In a risk survey ... conducted between Dec. 1, 2020, and Feb. 28, 2021, a mere three months, 1,833 cases of anaphylaxis had been observed and four individuals died from anaphylaxis on the same," she said.

The Epoch Times reached out to Pfizer for comment.

In certain cases, Faithfull and his staff try to get the coroner involved.

Faithfull shared one instance where a man insisted that his father should not get the vaccine, but his sister pressured their father. When the father conceded and took the shot, he died four days later.

"When I started counting in August of last year, it was one after the other, after the other, after the other, and when I got to 20, it was 19 who had died within two weeks [of getting the vaccine]," Faithfull said.

"So the first 20 days, I counted 19 of them—that's 95 percent," the funeral director explained. "The next number was 100 percent of the people who died had been vaccinated within two weeks."

Dr. Sanjay Verma is a cardiologist practicing in California who has been seeing a dramatic increase in heart problems since the rollout of the vaccines.

"Previous work by Dr. Gundry demonstrated an increase in cardiac inflammatory markers after COVID-19 vaccination. Interestingly, from Dec 2021 thru Jun 2022, 100 percent of the patients needing urgent cardiac catheterization for heart attack had been vaccinated, many of them with booster doses. More than half had been recently vaccinated (within a few weeks). In a county where 60 percent of the population is vaccinated, this trend was worrisome," Verma told The Epoch Times.

"There have been 31,470 deaths after COVID-19 vaccination reported in VAERS. The vast majority of them are clustered within seven days after vaccination. Additionally, there are some other worrisome trends. Data from CDC indicate there were 60,000 deaths in Sept 2019 and Sept 2020. However, in Sept 2021 that number surged to 90,000. We also have numerous social media posts on people, especially athletes, who 'died suddenly' with no apparent cause," Verma said.

Verma believes that any unexplained death within a few weeks or even months after vaccination should be "investigated with a thorough autopsy," specifically evaluated for spike protein in the brain, major blood vessels, and heart.

"We know the spike protein is toxic to blood vessels, causing endothelial dysfunction. The spike protein is also toxic to heart muscle, causing myocardial injury. There are also case reports of autopsy proven vaccine-mediated encephalitis (inflammation of the brain), myocarditis, and vasculitis, all of which can cause death," Verma added.



Enrico Trigoso

Enrico Trigoso is an Epoch Times reporter focusing on U.S. politics, health news, social issues, and a wide range of topics.